

Crimp Information Sheet

DELPHI

Terminal Part Number: 10730408

Surface Plating: F.SN3

Material Thickness [mm]: -

Cross Section [mm²]: 10,00

*This document is non-contractual
and for information only.*

*For more information, please
consult your local sales office*

Cable Type codes: 2010

Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY

Insulation Range Φ [mm]: 6,50 - 7,10

Seal(s): 10720983

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2010 10,00 / 10720983		6,80	750	3,50	0,05	5,70	0,10	9,60	0,20	10,30	0,20

Cable type code legend:

2010: ACW0219, FIAT T2 FLRY, FL RENAULT R1, FL RENAULT R3, FLR
(AGP0219), FLR2X-A, FLR4Y-A, FLR9Y, FLRX-B, FLRY-A, FLRYB, FLRY-B



Industry Designator: DIN

Conductor Material: COPPER

Conductor Plating: NONE

Insul. Material: PA, POLYOLEFIN, PP, PVC, SYNTHRESIN, XLCOPOLY, XLPBT, XLPE,
XLPE/PVDF, XLPVC

Insul. Wall Designator: THIN



Crimp Information Sheet

DELPHI

Terminal Part Number: 10730408

Surface Plating: F.SN3

Material Thickness [mm]: -

Cross Section [mm²]: 10,00

*This document is non-contractual
and for information only.*

*For more information, please
consult your local sales office*

Cable Type codes: 2011

Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY

Insulation Range Φ [mm]: 4,70 - 5,30

Seal(s): 10720983

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2011 10,00 / 10720983		5,00	750	3,50	0,05	5,70	0,10	9,80	0,20	10,40	0,20

Cable type code legend:

2011: FL33X, FLK, FLY, FLYKW, IH WIRE



Industry Designator: DIN

Conductor Material: COPPER

Conductor Plating: NONE

Insul. Material: P/EST, PE, PVC, XLPE

Insul. Wall Designator: REGULAR



Crimp Information Sheet

DELPHI

Terminal Part Number: 10730408

Surface Plating: F.SN3

Material Thickness [mm]: -

Cross Section [mm²]: 10,00

*This document is non-contractual
and for information only.*

*For more information, please
consult your local sales office*

Cable Type codes: 2036

Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY

Insulation Range Φ [mm]: 5,80 - 6,60

Seal(s): 10720983

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2036 10,00 / 10720983		6,20	750	3,50	0,05	5,70	0,10	9,80	0,20	10,40	0,20

Cable type code legend:

2036: FLY 157



Industry Designator: DIN

Conductor Material: COPPER

Conductor Plating: NONE

Insul. Material: PUR, PVC

Insul. Wall Designator: REGULAR



Crimp Information Sheet

DELPHI

Terminal Part Number: 10730408

Surface Plating: F.SN3

Material Thickness [mm]: -

Cross Section [mm²]: 10,00

*This document is non-contractual
and for information only.*

*For more information, please
consult your local sales office*

Cable Type codes: 2054

Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY

Insulation Range Φ [mm]: 5,75 - 6,00

Seal(s): 10720983

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2054 10,00 / 10720983		5,88	750	3,50	0,05	5,70	0,10	9,60	0,20	10,30	0,20

Cable type code legend:

2054: PSA T2 IR, PSA T3 IR, PSA T3 ZH IR, PSA T4 LH IR

Industry Designator: PSA

Conductor Material: COPPER

Conductor Plating: NONE

Insul. Material: POLYOLEFIN, PVC, X-POLY

Insul. Wall Designator: IR

