

# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1005 + 1008  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 5,00 + 1008 19,00		3,89 + 7,75	660	6,50	0,10	10,45	0,20	11,70	0,20	13,40	0,20



## Cable type code legend:

### 1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN

### 1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 3,00 | 5,00 | 8,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1007 + 1008  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 3,00 + 1008 19,00		3,63 + 7,75	250	6,50	0,10	10,45	0,20	12,40	0,20	13,00	0,20
1007 5,00 + 1008 19,00		4,45 + 7,75	660	6,50	0,10	10,45	0,20	11,70	0,20	13,40	0,20
1007 8,00 + 1008 19,00		5,38 + 7,75	1000	6,80	0,10	10,70	0,20	12,40	0,20	13,50	0,20



## Cable type code legend:

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR

### 1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 3,00 | 5,00 | 8,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1007 + 1008  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 3,00 + 1008 19,00		3,63 + 7,75	250	6,50	0,10	10,45	0,20	12,40	0,20	13,00	0,20
1007 5,00 + 1008 19,00		4,45 + 7,75	660	6,50	0,10	10,45	0,20	11,70	0,20	13,40	0,20
1007 8,00 + 1008 19,00		5,38 + 7,75	1000	6,80	0,10	10,70	0,20	12,40	0,20	13,50	0,20



## Cable type code legend:

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR

### 1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1007 + 1010  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 3,00 + 1010 19,00		3,63 + 8,35	250	6,50	0,10	10,45	0,20	12,40	0,20	13,00	0,20



## Cable type code legend:

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR

### 1010:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1007 + 1010  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 3,00 + 1010 19,00		3,63 + 8,35	250	6,50	0,10	10,45	0,20	12,40	0,20	13,00	0,20



## Cable type code legend:

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR

### 1010:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00 | 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1007 + 1012  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 5,00 + 1012 32,00		4,45 + 10,68	300	7,50	0,10	10,80	0,20	12,20	0,20	14,30	0,20



## Cable type code legend:

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR

### 1012:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1007 + 1097  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 3,00 + 1097 19,00		3,63 + 8,60	250	6,50	0,10	10,45	0,20	12,40	0,20	13,00	0,20



## Cable type code legend:

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR

### 1097:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1007 + 1097  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 3,00 + 1097 19,00		3,63 + 8,60	250	6,50	0,10	10,45	0,20	12,40	0,20	13,00	0,20



## Cable type code legend:

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR

### 1097:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: XLPE  
 Insul. Wall Designator: REGULAR





# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*


Cable Type codes: 1008  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 9,40 - 10,25  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1008 32,00		9,83	2000	7,40	0,10	10,75	0,20	11,10	0,20	13,90	0,20

## Cable type code legend:

1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
and for information only.*

*For more information, please  
consult your local sales office*



Cable Type codes: 1008  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 9,40 - 10,25  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1008 32,00		9,83	2000	7,40	0,10	10,75	0,20	11,10	0,20	13,90	0,20

## Cable type code legend:

1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 13,00 | 19,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*


Cable Type codes: 1008 + 1008  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1008 13,00 + 1008 13,00		6,62 + 6,62	1330	6,70	0,10	10,65	0,20	11,90	0,20	13,60	0,20
1008 13,00 + 1008 19,00		6,62 + 7,75	1330	7,20	0,10	10,70	0,20	11,20	0,20	13,90	0,20

## Cable type code legend:

1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 13,00 | 19,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1008 + 1008  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1008 13,00 + 1008 13,00		6,62 + 6,62	1330	6,70	0,10	10,65	0,20	11,90	0,20	13,60	0,20
1008 13,00 + 1008 19,00		6,62 + 7,75	1330	7,20	0,10	10,70	0,20	11,20	0,20	13,90	0,20

## Cable type code legend:

1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 13,00 | 19,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1008 + 1083  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1008 13,00 + 1083 19,00		6,62 + 8,81	1330	7,20	0,10	10,70	0,20	14,30	0,20	12,90	0,20



## Cable type code legend:

### 1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN

### 1083:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SIL  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 13,00 | 19,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1008 + 1083  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1008 13,00 + 1083 19,00		6,62 + 8,81	1330	7,20	0,10	10,70	0,20	14,30	0,20	12,90	0,20



## Cable type code legend:

### 1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN

### 1083:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SIL  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 13,00 | 19,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1008 + 1096  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1008 13,00 + 1096 19,00		6,62 + 8,83	1330	7,20	0,10	10,70	0,20	14,30	0,20	12,90	0,20



## Cable type code legend:

### 1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN

### 1096:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SIL  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 13,00 | 19,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1008 + 1096  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1008 13,00 + 1096 19,00		6,62 + 8,83	1330	7,20	0,10	10,70	0,20	14,30	0,20	12,90	0,20



## Cable type code legend:

### 1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN

### 1096:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SIL  
 Insul. Wall Designator: REGULAR





# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1009 + 1010  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 3,00 + 1010 19,00		4,13 + 8,35	250	6,50	0,10	10,45	0,20	12,40	0,20	13,00	0,20



## Cable type code legend:

1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL

1010:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1009 + 1010  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 3,00 + 1010 19,00		4,13 + 8,35	250	6,50	0,10	10,45	0,20	12,40	0,20	13,00	0,20



## Cable type code legend:

### 1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL

### 1010:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1009 + 1097  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 3,00 + 1097 19,00		4,13 + 8,60	250	6,50	0,10	10,45	0,20	12,40	0,20	13,00	0,20



## Cable type code legend:

### 1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL

### 1097:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1009 + 1097  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 3,00 + 1097 19,00		4,13 + 8,60	250	6,50	0,10	10,45	0,20	12,40	0,20	13,00	0,20



## Cable type code legend:

### 1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL

### 1097:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 13,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*


Cable Type codes: 1010 + 1010  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1010 13,00 + 1010 13,00		7,28 + 7,28	1330	6,70	0,10	10,65	0,20	12,00	0,20	13,70	0,20

## Cable type code legend:

1010:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 13,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1010 + 1010  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1010 13,00 + 1010 13,00		7,28 + 7,28	1330	6,70	0,10	10,65	0,20	12,00	0,20	13,70	0,20

Cable type code legend:

1010:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 13,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1010 + 1097  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1010 13,00 + 1097 13,00		7,28 + 7,76	1330	6,70	0,10	10,65	0,20	12,00	0,20	13,70	0,20



## Cable type code legend:

### 1010:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL

### 1097:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 13,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1010 + 1097  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1010 13,00 + 1097 13,00		7,28 + 7,76	1330	6,70	0,10	10,65	0,20	12,00	0,20	13,70	0,20



## Cable type code legend:

### 1010:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL

### 1097:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: XLPE  
 Insul. Wall Designator: REGULAR





# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 2,00 | 3,00 | 5,00 | 8,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1011 + 1008  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1011 2,00 + 1008 19,00		3,90 + 7,75	200	6,40	0,10	10,50	0,20	11,30	0,20	13,50	0,20
1011 3,00 + 1008 19,00		4,60 + 7,75	250	6,50	0,10	10,45	0,20	12,40	0,20	13,00	0,20
1011 5,00 + 1008 19,00		5,22 + 7,75	660	6,50	0,10	10,45	0,20	11,70	0,20	13,40	0,20
1011 8,00 + 1008 19,00		5,95 + 7,75	1000	6,80	0,10	10,70	0,20	12,50	0,20	13,50	0,20



## Cable type code legend:

### 1011:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE  
 Insul. Wall Designator: HEAVY DUTY

### 1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 2,00 | 3,00 | 5,00 | 8,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1011 + 1008  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1011 2,00 + 1008 19,00		3,90 + 7,75	200	6,40	0,10	10,50	0,20	11,30	0,20	13,50	0,20
1011 3,00 + 1008 19,00		4,60 + 7,75	250	6,50	0,10	10,45	0,20	12,40	0,20	13,00	0,20
1011 5,00 + 1008 19,00		5,22 + 7,75	660	6,50	0,10	10,45	0,20	11,70	0,20	13,40	0,20
1011 8,00 + 1008 19,00		5,95 + 7,75	1000	6,80	0,10	10,70	0,20	12,50	0,20	13,50	0,20



## Cable type code legend:

### 1011:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE  
 Insul. Wall Designator: HEAVY DUTY

### 1008:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 19,00 | 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1011 + 1101  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1011 5,00 + 1101 19,00		5,22 + 7,90	660	6,50	0,10	10,45	0,20	11,70	0,20	13,40	0,20



## Cable type code legend:

1011:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE  
 Insul. Wall Designator: HEAVY DUTY

1101:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SIL  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1012  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 10,40 - 10,95  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1012 32,00		10,68	2000	7,40	0,10	10,75	0,20	11,40	0,20	14,20	0,20

## Cable type code legend:

1012:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1012  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 10,40 - 10,95  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1012 32,00		10,68	2000	7,40	0,10	10,75	0,20	11,40	0,20	14,20	0,20

## Cable type code legend:

1012:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1021  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 7,31 - 7,41  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1021 32,00		7,36	2000	7,50	0,10	10,85	0,20	11,80	0,20	14,00	0,20

## Cable type code legend:

1021:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: SN  
 Insul. Material: NONE  
 Insul. Wall Designator: NONE



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1031  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 10,40 - 10,95  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1031 32,00		10,68	2000	7,40	0,10	10,75	0,20	11,40	0,20	14,20	0,20

## Cable type code legend:

1031:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: SN  
 Insul. Material: SIL  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1031  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 10,40 - 10,95  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1031 32,00		10,68	2000	7,40	0,10	10,75	0,20	11,40	0,20	14,20	0,20

## Cable type code legend:

1031:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: SN  
 Insul. Material: SIL  
 Insul. Wall Designator: REGULAR





# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*


Cable Type codes: 1076  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 11,30 - 12,05  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1076 32,00		11,68	2000	7,40	0,10	10,75	0,20	11,40	0,20	14,20	0,20

## Cable type code legend:

1076:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: SN  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: HEAVY DUTY



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1076  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 11,30 - 12,05  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1076 32,00		11,68	2000	7,40	0,10	10,75	0,20	11,40	0,20	14,20	0,20

## Cable type code legend:

1076:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: SN  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: HEAVY DUTY



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*


Cable Type codes: 1083  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 10,54 - 11,60  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1083 32,00		11,07	2000	7,40	0,10	10,75	0,20	11,40	0,20	14,20	0,20

## Cable type code legend:

1083:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SIL  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.*

*For more information, please  
 consult your local sales office*



Cable Type codes: 1083  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 10,54 - 11,60  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1083 32,00		11,07	2000	7,40	0,10	10,75	0,20	11,40	0,20	14,20	0,20

## Cable type code legend:

1083:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SIL  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*


Cable Type codes: 1090  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 7,69 - 7,94  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1090 32,00		7,82	2000	7,50	0,10	10,85	0,20	11,80	0,20	14,00	0,20

## Cable type code legend:

1090:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: SN  
 Insul. Material: NONE  
 Insul. Wall Designator: NONE



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1096  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 10,41 - 11,50  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1096 32,00		10,96	2000	7,40	0,10	10,75	0,20	11,40	0,20	14,20	0,20

## Cable type code legend:

1096:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SIL  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1096  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 10,41 - 11,50  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1096 32,00		10,96	2000	7,40	0,10	10,75	0,20	11,40	0,20	14,20	0,20

## Cable type code legend:

1096:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SIL  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 13,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1097 + 1097  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1097 13,00 + 1097 13,00		7,76 + 7,76	1330	6,70	0,10	10,65	0,20	12,00	0,20	13,70	0,20

## Cable type code legend:

1097:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: XLPE  
 Insul. Wall Designator: REGULAR





# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 13,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*


Cable Type codes: 1097 + 1097  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1097 13,00 + 1097 13,00		7,76 + 7,76	1330	6,70	0,10	10,65	0,20	12,00	0,20	13,70	0,20

Cable type code legend:

1097:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1104  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 12,68 - 12,98  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1104 32,00		12,83	2000	7,40	0,10	10,80	0,20	12,60	0,20	14,40	0,20

## Cable type code legend:

1104:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: CPE  
 Insul. Wall Designator: ROPE-REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 35,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*


Cable Type codes: 2009  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 10,50 - 12,00  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2009 35,00		11,25	2000	7,60	0,10	10,75	0,20	11,80	0,20	14,00	0,20

## Cable type code legend:

2009:

Industry Designator: DIN  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC  
 Insul. Wall Designator: HEAVY DUTY



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 25,00 | 35,00



*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 2011  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 9,00 - 12,00  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2011 25,00		10,00	1900	6,90	0,10	10,55	0,20	10,80	0,20	14,00	0,20
2011 35,00		10,80	2000	7,60	0,10	10,75	0,20	11,80	0,20	14,00	0,20

## Cable type code legend:

2011: FL33X, FLK, FLY, FLYKW, IH WIRE  
 Industry Designator: DIN  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: P/EST, PE, PVC, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 25,00



*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 2015  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 9,00 - 11,00  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2015 25,00		10,00	1900	6,90	0,10	10,55	0,20	10,80	0,20	14,00	0,20

## Cable type code legend:

2015: FL2G  
 Industry Designator: DIN  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SIL, SIR  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 25,00 | 35,00



*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 2034  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 9,00 - 11,50  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2034 25,00		9,70	1900	6,50	0,10	10,50	0,20	9,90	0,20	13,90	0,20
2034 35,00		11,10	2000	7,60	0,10	10,75	0,20	11,80	0,20	14,00	0,20

## Cable type code legend:

2034: FL2G  
 Industry Designator: DIN  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SIL  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 35,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 2076  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 9,65 - 10,20  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2076 35,00		9,93	2100	7,60	0,10	10,70	0,20	11,40	0,20	14,10	0,20

Cable type code legend:

2076:

Industry Designator: ISO  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 35,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 2076  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 9,65 - 10,20  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2076 35,00		9,93	2100	7,60	0,10	10,70	0,20	11,40	0,20	14,10	0,20

## Cable type code legend:

2076:

Industry Designator: ISO  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: XLPE  
 Insul. Wall Designator: THIN





# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*


Cable Type codes: 5003  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 11,35 - 11,65  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
5003 32,00		11,50	2000	7,40	0,10	10,75	0,20	11,40	0,20	14,20	0,20

## Cable type code legend:

5003:

Industry Designator: UL  
 Conductor Material: COPPER  
 Conductor Plating: SN  
 Insul. Material: SIL  
 Insul. Wall Designator: HEAVY DUTY



# Crimp Information Sheet

Terminal Part Number: 12146361  
 Surface Plating: SN  
 Material Thickness [mm]: 1,52  
 Cross Section [mm<sup>2</sup>]: 32,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 5003  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 11,35 - 11,65  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
5003 32,00		11,50	2000	7,40	0,10	10,75	0,20	11,40	0,20	14,20	0,20

## Cable type code legend:

5003:

Industry Designator: UL  
 Conductor Material: COPPER  
 Conductor Plating: SN  
 Insul. Material: SIL  
 Insul. Wall Designator: HEAVY DUTY

